

# Languages

# Languages

Language: a set of strings

String: a sequence of symbols  
from some alphabet

Example:

Strings: cat, dog, house

Language: {cat, dog, house}

Alphabet:  $\Sigma = \{a, b, c, \dots, z\}$

Languages are used to describe computation problems

$$PRIMES = \{2, 3, 5, 7, 11, 13, 17, \dots\}$$

$$EVEN = \{0, 2, 4, 6, \dots\}$$

Alphabet:  $\Sigma = \{0, 1, 2, \dots, 9\}$

# Alphabets and Strings

An alphabet is a set of symbols

Example Alphabet:  $\Sigma = \{a, b\}$

A string is a sequence of symbols from the alphabet

Example Strings

$a$

$ab$

$abba$

$aaabbbaaba$   $b$

$u = ab$

$v = bbbaaa$

$w = abba$

# Examples

Decimal numbers alphabet  $\Sigma = \{0,1,2,\dots,9\}$

102345

567463386

Binary numbers alphabet  $\Sigma = \{0,1\}$

100010001

101101111

# More Examples

Unary numbers alphabet       $\Sigma = \{1\}$

Unary number: 1      11      111      1111      11111

Decimal number: 1      2      3      4      5

Unary numbers alphabet - 0       $\Sigma = \{0\}$

Unary number - 0      0, 00, 000, 000 ...0

# String Operations

 $w = a_1 a_2 \cdots a_n$  $abba$  $v = b_1 b_2 \cdots b_m$  $bbbaaa$ 

## Concatenation

 $wv = a_1 a_2 \cdots a_n b_1 b_2 \cdots b_m$  $abbabbbaaa$

# String Operations - reverse

طلبوا الذي نالوا فما حُرموا \*\*\*\* رُفعتْ فما حُطتْ لهم رُتب  
رُتب لهم حُطتْ فما رُفعتْ \*\*\* حُرموا فما نالوا الذي طلبوا

$$w = a_1 a_2 \cdots a_n$$

Reverse

$$ababa aabb b$$

$$w^R = a_n \cdots a_2 a_1$$

$$bbbaa ababa$$

# String Length

$$w = a_1 a_2 \cdots a_n$$

Length:  $|w| = n$

Examples:

$$|abba| = 4$$

$$|aa| = 2$$

$$|a| = 1$$

$$|aba| = ?$$

$$|aabbaabb| = ?$$

$$|\lambda| = ?$$

# Length of Concatenation

$$|uv| = |u| + |v|$$

Example:  $u = aab, |u| = 3$

$v = abaab, |v| = 5$

$$|uv| = |aababaab| = 8$$

$$|uv| = |u| + |v| = 3 + 5 = 8$$

# Empty String

A string with no letters is denoted:  $\lambda$  or  $\epsilon$

Observations:  $|\lambda| = 0$

$$\lambda w = w\lambda = w$$

$$\lambda abba = abba \lambda = ab\lambda ba = abba$$

# Substring

Substring of string:

a subsequence of consecutive characters

String

abbab

abbab

abbab

abbab

Substring

*ab*

*abba*

*b*

*bbab*

# Prefix and Suffix

*abbab*

Prefixes

$\lambda$

$a$

$ab$

$abb$

$abba$

$abbab$

Suffixes

*abbab*


*bbab*

*bab*

*ab*

*b*

$\lambda$



# Another Operation

$$w^n = \underbrace{ww\cdots w}_n$$

Example:  $(abba)^2 = abbaabba$

Definition:  $w^0 = \lambda$

$$(abba)^0 = \lambda$$

# The \* Operation

$\Sigma^*$ : the set of all possible strings from alphabet  $\Sigma$

$$\Sigma = \{a, b\}$$

$$\Sigma^* = \{\lambda, a, b, aa, ab, ba, bb, aaa, aab, \dots\}$$

# The + Operation

$\Sigma^+$  : the set of all possible strings from alphabet  $\Sigma$  except  $\lambda$

$$\Sigma = \{a, b\}$$

$$\Sigma^* = \{\lambda, a, b, aa, ab, ba, bb, aaa, aab, \dots\}$$

$$\Sigma^+ = \Sigma^* - \lambda$$

$$\Sigma^+ = \{a, b, aa, ab, ba, bb, aaa, aab, \dots\}$$

# Languages

A language over alphabet  $\Sigma$   
is any subset of  $\Sigma^*$

Examples:

$$\Sigma = \{a, b\}$$

$$\Sigma^* = \{\lambda, a, b, aa, ab, ba, bb, aaa, \dots\}$$

Language:  $\{\lambda\}$

Language:  $\{a, aa, aab\}$

Language:  $\{\lambda, abba, baba, aa, ab, aaaaaaa\}$

# More Language Examples

Alphabet  $\Sigma = \{a, b\}$

An infinite language  $L = \{a^n b^n : n \geq 0\}$

$\lambda$   
 $ab$   
 $aabb$   
 $aaaaabbbbb$

$\in L$

$abb \notin L$

$aaaabb ? L$



# Prime numbers

Alphabet  $\Sigma = \{0,1,2,\dots,9\}$

Language:

$PRIMES = \{x : x \in \Sigma^* \text{ and } x \text{ is prime}\}$

$PRIMES = \{2,3,5,7,11,13,17,\dots\}$

# Even and odd numbers

Alphabet  $\Sigma = \{0,1,2,\dots,9\}$

$EVEN = \{x : x \in \Sigma^* \text{ and } x \text{ is even}\}$

$EVEN = \{0,2,4,6,\dots\}$

$ODD = \{x : x \in \Sigma^* \text{ and } x \text{ is odd}\}$

$ODD = \{1,3,5,7,\dots\}$

# Unary Addition

Alphabet:  $\Sigma = \{1, +, =\}$

Language:

$ADDITION = \{x + y = z : x = 1^n, y = 1^m, z = 1^k,$   
 $n + m = k\}$

$11 + 111 = 11111 \in ADDITION$

$111 + 111 = 111 \notin ADDITION$

# Squares

Alphabet:  $\Sigma = \{1, \#\}$

Language:

$$SQUARES = \{x\#y : x = 1^n, y = 1^m, m = n^2\}$$

$$11\#1111 \in SQUARES$$

$$111\#1111 \notin SQUARES$$

Note that:

Sets

$$\cancel{\emptyset} = \{ \ } \neq \{\lambda\}$$

Set size

$$|\{ \ }| = |\emptyset| = 0$$

Set size

$$|\{\lambda\}| = 1$$

CORRECTION

String length

$$|\lambda| = 0$$

# Operations on Languages

The usual set operations

$$\{a, ab, aaaa\} \cup \{bb, ab\} = \{a, ab, bb, aaaa\}$$

$$\{a, ab, aaaa\} \cap \{bb, ab\} = \{ab\}$$

$$\{a, ab, aaaa\} - \{bb, ab\} = \{a, aaaa\}$$

Complement:  $\overline{L} = \Sigma^* - L$

$$\overline{\{a, ba\}} = \{\lambda, b, aa, ab, bb, aaa, \dots\}$$

# Reverse

**Definition:**  $L^R = \{w^R : w \in L\}$

**Examples:**  $\{ab, aab, baba\}^R = \{ba, baa, abab\}$

$$L = \{a^n b^n : n \geq 0\}$$

$$L^R = \{b^n a^n : n \geq 0\}$$

# Concatenation

**Definition:**  $L_1 L_2 = \{xy : x \in L_1, y \in L_2\}$

**Example:**  $\{a, ab, ba\} \{b, aa\}$

$$= \{ab, aaa, abb, abaa, bab, baaa\}$$

# Another Operation

Definition:  $L^n = \underbrace{LL\cdots L}_n$

$$\begin{aligned}\{a,b\}^3 &= \{a,b\}\{a,b\}\{a,b\} = \\ \{aaa, aab, aba, abb, baa, bab, bba, bbb\}\end{aligned}$$

Special case:  $L^0 = \{\lambda\}$

$$\{a, bba, aaa\}^0 = \{\lambda\}$$

$$L = \{a^n b^n : n \geq 0\}$$

$$L^2 = \{a^n b^n a^m b^m : n, m \geq 0\}$$

$$aabbaaaabbb \in L^2$$

# Star-Closure (Kleene $*$ )

All strings that can be constructed from  $L$

Definition:  $L^* = L^0 \cup L^1 \cup L^2 \dots$

Example:

$$\{a, bb\}^* = \left\{ \lambda, a, bb, aa, abb, bba, bbbb, aaa, aabb, abba, abbbb, \dots \right\}$$

# Positive Closure

Definition:

$$\mathcal{L}^+ = \mathcal{L}^1 \cup \mathcal{L}^2 \cup \dots$$

Same with  $\mathcal{L}^*$  but without the  $\lambda$

$$\{a,bb\}^+ = \left\{ \begin{array}{l} a, bb, \\ aa, abb, bba, bbbb, \\ aaa, aabb, abba, abbbb, \dots \end{array} \right\}$$